

Branch Office : House No.-6, Sankardev Path, Pub-Sarania, Chandmari, Guwahati - 78 003 ASSAM  
Ph. No. 09207035356 email : envision.pd2011@gmail.com

**Recognized by Pollution Control Board, Assam.**

**STACK ANALYSIS REPORT**

<b>Date:</b>	<b>24/09/2013</b>
<b>Rep.No.</b>	<b>130924_14010036_02_002</b>

**Name & Address:**

**M/s. GNRC INSTITUTE OF MEDICAL SCIENCE  
(A Unit of GNRC Ltd.)**

**Sila Grant, Mouza-Sila  
Senduri Ghopa  
North Guwahati, Assam.**

**Stack Description:**

Stack attached to DG SET 500 KVA.

**Date of Sampling:** 20/09/2013

**Date of Analysis:** 21/09/2013

**Sample Collected By:** M/s. EEEPL

<b>CODE</b>	<b>PARAMETERS</b>	<b>LIMITS</b>	<b>RESULTS</b>
S <sub>1</sub>	Temperature of Flue Gas ( ° C )	-	141
S <sub>2</sub>	Average Flue Gas Velocity (m/sec)	-	5.04
S <sub>3</sub>	Total Particulate Matter (mg / Nm <sup>3</sup> )	0.3	0.128
S <sub>4</sub>	NO <sub>x</sub> (ppm)	9.2	1.86

**Method of Analysis Followed:** I.S. 11255, part I to IV

**Opinion :** All Parameters are within permissible limit

**En-Vision Enviro Engineers Pvt. Ltd. Guwahati.**



**(Quality Control Manager)**

**End of Report**

**LAB/FM/04**