

# GNRC INSTITUTE OF MEDICAL SCIENCE(A UNIT OF GNRC LTD)

Silagrant Town, Mouza- Sila Senduri Ghopa North Guwahati, Kamrup (R), Assam

\_\_\_\_\_\_\_\_\_

NO.GNRC/EC/NG/SMR/01

Date:31-05-2022

Τo,

The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest & Climate Change North Eastern Regional Office Law-U-Sib, Lumbatngen Near MTC Workshop, Shillong- 793021

SUB.: Submission of six monthly compliance report in respect of GNRC Institute of Medical Science (a unit of GNRC Ltd) at Patta No. 37, Dag No. 53, Village Silagrant Town, Dist: Kamrup, Assam for the period from October, 2021 to March, 2022

REF: ENVIRONMENTAL CLEARANCE LETTER F.No.21-151/2011-IA.III dated July 17, 2012

Dear Sir,

With reference to the Environmental Clearance obtained from MoEF vide letter under reference, we are submitting herewith the Six Monthly Compliance Report for the period from October, 2021 to March, 2022 in respect of Environmental Clearance as required relating to GNRC Institute of Medical Science (a unit of GNRC Ltd).

Thanking You.

Yours sincerely,

For - M/s. GNRC Institute of Medical Science (a unit of GNRC Ltd)

(S. Deka) Director (Project)

Copy to:

- 1. The Member Secretary, Pollution Control Board Assam, Bamunimaidan, Guwahati- 21
- The Zonal Office Central Pollution Control Board, Shillong, Sh. Zawthanglien Changsan (Scientist 'E" and In-charge) (TUM-SIR),Lower Motinagar, Near Fire Brigade H.Q-Shillong-793014

# COMPLIANCE REPORT OF ENVIRONMENTAL CLEARANCE FOR THE PERIOD FROM OCTOBER, 2021 TO MARCH, 2022

# Ref. F. No. 21-151/2011-IA.III



**SUBMITTED BY-**

M/S. GNRC INSTITUTE OF MEDICAL SCIENCES (A UNIT OF GNRC LTD, DISPUR, GUWAHATI-6) SILA GRANT TOWN, SILA SENDURI GHOPA MOUZA, NORTH GUWAHATI, KAMRUP, ASSAM

Environmental	:	F. No. 21-151/2011-IA.III, dated July 17, 2012.
Project	:	Construction of Medical College and Hospital at Patta No. 37, Dag No. 53, Village: Silagrant Town, Dist: Kamrup, Assam.
Company :		
Name of the		M/s. GNRC Institute of Medical Sciences (a unit of GNRC Ltd).

**Clearance Letter** 

### **A - SPECIFIC CONDITIONS**

SN.	EC CONDITIONS	COMPLIANCE STATUS	
(i)	Consent for Establishment" shall be obtained from Assam Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at the site.	Complied with. Consent to Establish under Water & Air Act obtained from Assam State Pollution Control Board vide No. WB/GUW/T-2128/11-12/141/1339 dated. 29-11-11 & NO. WB/GUW/T- 2128/11-12/371/1724 dated 01-03-12. Copy of consent letter already submitted to the Ministry.	
(ii)	The proponent shall ensure that the project fulfills all the provision of Biomedical Waste (Management, Handling and Transboundary) Rules, 2008 as amended including segregation, collection, treatment and safe disposal etc.	Agreed with. Segregation, collection, treatment, and safe disposal of biomedical waste have been carried out through an authorized external agency of PCB, Assam (Fresh Air).	
(iii)	Parking provision shall be enhanced along with well-designed circulation plan to ensure that there is no parking outside premises. The circulation plan should have any conflicts with the truck movement on the main road.	Parking provision for bus, car, two wheelers including bi-cycle have been made inside premises with facilities of public wash room. Also special parking provision for Ambulance are available.	
(iv)	All the required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.	Agreed with. Required sanitation and hygienic measure has been adopted for construction phase.	
(v)	A First Aid Room will be provided in the project both during construction and operation of the project.	First Aid Room along with drugs etc have been provided within the complex & delivering its services.	

SN.	EC CONDITIONS	COMPLIANCE STATUS		
<ul> <li>(vi) Adequate drinking water &amp; sanitary facilities should be provided for construction workers at site. The safe disposal of waste water and solid wastes generated during construction phase should be ensured.</li> </ul>		Complied with. Adequate drinking water & sanitary facilities are provided for construction workers at site.		
(vii)	Provision should be made for the supply of fuel (kerosene or cooking gas), utensils such as pressure cooker etc to the labourers during construction phase.	Agreed with. During construction phase fuel, utensils were supplied to the labours.		
(viii)	All the labourers to be engaged for construction should be screened for health and adequately treated before engaging them to work at the site.	Health of the workers were screened and necessary treatment have been provided before engaging them in work at the site.		
(ix)	For Disinfection of waste water use UV radiation, not chlorination.	Complied with. UV radiation is used for disinfection of waste water.		
(x)	All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.	Topsoil excavated during construction has been reused for landscaping, gardening etc within the project site.		
(xi)	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precaution for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Complied with. Muck generated during construction phase is used for site leveling and filling of low lying areas.		
(xii)	(xii)Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals & other toxic contaminants.Complied with. Analysis report Ground water is enclosed at <b>&amp; B</b> . According to the report threat to ground water quality of heavy metals & other toxic contaminants.			
(xiii)	xiii)Construction spoils including bituminous material and other hazardous material, must not be allowed to contaminate watercourses and the dump sites for such materials must be secured so that they should not leach into the ground water.Complied with. Construction sp stored in impervious area so th not leach into the ground water.			

SN.	EC CONDITIONS	COMPLIANCE STATUS		
(xiv)	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.	Low Sulphur diesel is used in DG sets. Monitoring reports of DG Sets are enclosed as <b>Annexure-B(1), C(1) &amp; D.</b>		
(xv)	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.	Complied with. PUC certificate were checked for the vehicles during construction phase.		
(xvi)	Ambient noise level should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.	Ambient Noise monitoring results are within permissible limits. Monitoring report is enclosed as <b>Annexure-C</b> .		
(xvii)	Fly ash should be used as a construction material as per the provisions of Fly Ash Notification of September, 1999 & amended as on 27-08-2003. As the site located within the 100 km of Thermal Power Station.	Complied with.		
(xviii)	Ready mixed concrete must be used in the construction.	Complied with.		
(xix)	Storm water control and its reuse as per CGWB and BIS standards for various applications.	Complied with.		
(xx)	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Complied with		
(xxi)	Permission to draw ground water shall be obtained from the competent authority prior to construction/operation of the project.	Applied to CGWB on 16-06-2014. Returned in May, 2018 with the advice to resubmit on line. Applied vide NO.21- 4/492/AS/INF/2018 dated 07-05-18. Advised for certain correction which was done and reapplied on 25-09-2019 (Application No.21-2/817/AS/INF/2019).		

SN.	EC CONDITIONS	COMPLIANCE STATUS	
(xxii)	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.	Complied with.	
(xxiii)	Treatment of 100% grey water by decentralized treatment should be done.	Complied with. STP is installed for treatment of grey water.	
(xxiv)	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	All sanitary & plumbing fixtures are comprised of low flow.	
(xxv)	Use of glass may be reduced by up-to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflecting coating on windows.	Agreed with.	
(xxvi)	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.	Mosaic crazy flooring on RCC roof top is done for heat regression besides thermal insulation etc where required.	
(xxvii)	Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB.	Complied with. Monitoring reports are enclosed as <b>Annexure C, D</b>	
(xxiii)	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air- conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.	230 mm brick wall made for energy conservation apart from treated bamboo cladding in the façade for air circulation to avoid possible use of AC & reduce energy consumption.	

## II. OPERATION PHASE :

SN	EC CONDITIONS	COMPLIANCE STATUS	
(i)	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Discharge of unused treated affluent shall conform to the norms and standards of the Assam State Pollution Control Board, Guwahati.	STP installed at site. The installation certificate along with a report was already submitted to the Ministry before operation phase. Certificate of the STP conducted by an independent expert already submitted on May 2019 letter No.FA/COR/1920/144A. STP water analysis report is attached <b>Annexure-E.</b>	
(ii)	Rain water harvesting for roof run- off and surface run- off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease.	Complied with. Drain provided along with the apron of each building to go to storm water drain & then to pond meant for rain water reservoir.	
(iii)	The solid waste generated should be properly collected and segregated before disposal to the city municipal facility. The in-vessel bio-conservation technique should be used for composting the organic waste recyclable material.	Complied with.	
(iv)	Any hazardous waste including bio-medical waste should be disposed of as per applicable rules and norms with necessary approval of the Assam State Pollution Control Board.	All hazardous waste including biomedical waste have been disposed of as per norms of ASPCB & entrusted the job to an authorized organization of ASPCB.	
(v)	The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land- use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.	Executed as per plan for Green Belt area. Landscaping done at open space inside the complex and covered with vegetation of indigenous variety.	
(vi)	Incremental pollution loads on the ambient air quality, noise & water quality should be periodically monitored after commissioning of the project.	Ambient air quality, noise and water quality are monitored regularly through Pollution Control Board recognized and NABL accredited laboratory. Monitoring reports enclosed at <b>Annexure-A to D.</b>	
(vii)	Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provisions for solar water heating. A hybrid system or fully solar system for a portion of the apartments should be provided.	Solar lights are installed for common areas, lighting at gardens and street. Solar heater is also provided.	
(viii)	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	Sufficient space near entry & exit points from the roads inside the complex have been kept for parking of cars/two wheelers to avoid traffic congestion.	

SN	EC CONDITIONS	COMPLIANCE STATUS	
(ix)	A Report on the energy conservation measures	Complied with.	
	confirming to energy conservation norms finalized by	A report on energy conservation	
	Bureau of Energy Efficiency should be prepared	measures were submitted to Ministry vide	
	incorporating details about building materials &	our letter No.GNRC/ENV/SMR/01 dated	
	technology, R $\&$ U Factors etc and submit to the Ministry	27-11-14.	
	in three months' time.		

SN.	EC CONDITIONS	COMPLIANCE STATUS	
1	Six monthly monitoring report should be submitted to the ministry and it's Regional Office, Shillong.	Six monthly compliance report along with monitoring reports have been submitting. Last EC Compliance report for the period from April, 2021 to September, 2021 was submitted vide our letter No. GNRC/EC/NG/SMR/01 dated 30-11-2021 to the Ministry N E Regional office Shillong, CPCB Shillong and Pollution Control Board, Assam.	
2.	Officials from the Regional Office of MoEF, Shillong who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional office of MoEF, Shillong.	We ensure to provide full cooperation, facilities and documents/data required by the Officials from the Regional Office of MoEF, Shillong during their inspection. A complete set of all the documents submitted to MoEF was also forwarded to the CCF, Regional office of MoEF, Shillong.	
3.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.	Agreed with.	
4.	The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Agreed with.	
		Agreed with.	
6.	The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Assam State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at http://www.envfor.nic.in. The advertisement should	Complied with. Advertisement copies of both the widely circulated newspapers were already submitted to the Ministry as well as to the Regional Office of Ministry at Shillong.	

SN.	EC CONDITIONS	COMPLIANCE STATUS
	be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Shillong.	
7.	Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project.	Agreed with.
8.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Forwarded to the concerned authority. No suggestions/ representations were received from concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the local NGO. Clearance letter was placed on the company's website <u>www.gnrchospitals.com</u> in the heading "News & Events" and sub heading "Environmental Clearance"
9.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Status of compliance of the stipulated EC conditions, including results of monitored data was uploaded on our website i.e <u>www.gnrchospitals.com</u> and will continue. Simultaneously submitting regularly to the Regional Office of MoEF at Shillong and the Assam Pollution Control Board. Displayed in our above website also.
10.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	The environmental statement for the financial year 2020-21 was submitted along with the last six monthly report vide letter NO.GNRC/ENV/STAT/FORM-V/NG/01 dated 31-07-2021



Annexure-A

Enviro Technologies North East

# Technologies for better tomorrow

Recognized by Pollution Control Board, Assam

## SOIL ANALYSIS REPORT

Rep.No: 220228\_14080088\_0

Date: 28/02/22

Name & Address of Client	M/s. GNRC Institute of Medical Science (A Unit of GNRC Ltd.) Sila Grant, Mouza-Sila Senduri Ghopa, North Guwahati,Dist- Kamrup (R), Assam.
Sample Description	Soil sample collected from the project site.
Date of Sampling	21/02/22
Sample collected by	M/s. En-vision Enviro Technologies North East

SI No.	Soil Parameters	Unit	Result	Reference Method
1	p <sup>H</sup>		7.29	Potentiometric
	Soil type		Loamy Sand	Hydrometer
2	Sand	%	70.1	Hydrometer
	Clay	%	13.4	Hydrometer
	Silt	%	16.5	Hydrometer
3	Nitrogen	kg/ha	113.4	Alkaline KMnO₄
4	Phosphorus	mg/kg	15.2	Olsen method
5	Potassium	mg/Kg	39.4	NH₄-acetate extraction
6	Electrical conductivity	mS/cm	2.12	Conductivity Meter
7	Water holding capacity	%	45.2	Standard method
8	Organic matter	%	3.1	Titrimetric



Page 1 of 2

House No. 6, 1st Floor, Sankardev Path, Pub-Sarania, Chandmari, Guwahati-781003, Assarr

Phone : +91 8811096201 e-mail : envisionghy@gmail.com visit us at : www.en-vision.in



Ammexure - A

**Enviro Technologies North East** 

Technologies for better tomorrow

# Recognized by Pollution Control Board, Assam

SI No.	Parameters	Unit	Result	Reference Method
9	Salinity	mS/cm	2.15	Conductometric
10	Iron	g/kg	35.7	Flame AAS(mg/kg)
11	Copper	mg/kg	6.68	Flame AAS
12	Nickel	mg/kg	10.13	Flame AAS
13	Manganese	g/kg	7.1	Flame AAS(mg/kg)
14	Zinc	mg/kg	39.5	Flame AAS
15	Arsenic	mg/kg	2.2	HG- AAS
16	Cadmium	mg/kg	0.03	Flame AAS
17	Lead	mg/kg	4.8	Flame AAS
18	Mercury	mg/kg	0.18	Flameless AAS
19	Chlorides	mg/kg	123.6	Argentometric

# For En-vision Enviro Technologies North East, Guwahati



Note: i) The results relate only to the parameter tested.

- ii) The test report shall not be reproduced except in full, without written approval of laboratory. iii) Parameter no.4, 10 to 19 are analysed in B. Booroah College as per our MOU. \_End of Report\_

Page 2 of 2



mexure-B



TEST REPORT: Report No:220228\_14080088\_0 Sample ID No: EETNE/Feb/02-A/22/D Test Starting Date: 21/02/22

Date of Report: 28/02/22 Date of sample receipt: 21/02/22 Test completion Date: 28/02/22

Name & Address of Client	M/s. GNRC Institute of Medical Science (A Unit of GNRC Ltd.) Sila Grant, Mouza-Sila Senduri Ghopa,North Guwahati,Dist-Kamrup (R), Assa					
Sample Description	Type: Drinking Water Source			ce: Water Purifier		
Sample collected by	M/s. En-vision Enviro Technologies North East					
Sample Collection Particulars	Date 21/02/2022	Time 11:15 A.M	Temperature 23ºC	Quantity Drawn:4L	Sampling Method: EETNE/SOP/02	

SI No.	Parameters	Unit	Result	Reference	IS 1050	00: 2012
				Method	Acceptable limit	Permissible limit
1	р <sup>н</sup>		6.59	APHA 23 <sup>rd</sup> Edition,4500- H <sup>+</sup> ,Page:4-95	6.5-8.5	No relaxation
2	Turbidity	NTU	<0.2	APHA 23 <sup>rd</sup> Edition,2130,Page:2-13	1.0	5.0
3	TDS	mg/L	121.5	APHA 23 <sup>rd</sup> Edition,2540 C ,Page :2-69	500	2000
4	*Total hardness	mg/L	75	APHA 23 <sup>rd</sup> Edition,2340 B,Page:2-48	200	600
5	Calcium	mg/L	32.6	APHA 23 <sup>rd</sup> Edition,3500-Ca B,Page:3-69	75	200
6	*Magnesium	mg/L	16.8	APHA 23 <sup>rd</sup> Edition,3500-Mg B,Page:3-86	30	100
7	Total Alkalinity	mg/L	125.5	APHA 23 <sup>rd</sup> Edition,2320 B,Page:2-37	200	600
8	*Chloride	mg/L	13.4	APHA 23 <sup>rd</sup> Edition,4500-Cl <sup>-</sup> B,Page:4-75	250	1000
9	*Sulphate	mg/L	11.7	APHA 23 <sup>rd</sup> Edition,4500-SO <sub>4</sub> <sup>2-</sup> E,Page:4-199	200	400
10	*Nitrates	mg/L	3.6	APHA 23 <sup>rd</sup> Edition,4500-NO <sub>3</sub> <sup>-</sup> B,Page:4-127	45	No relaxation
11	*Residual Chlorine	mg/L	BDL	APHA 23 <sup>rd</sup> Edition,4500-Cl B,Page:4-63	0.2	1.0




Page 1 of 2

House No. 6, 1st Floor, Sankardev Path, Pub-Sarania, Chandmari, Guwahati-781003, Assam.



Technologies for better tomorrow

# nnexure-B





		1	1		// \	$\backslash$	
SI No.	Parameters	Unit	Result	Reference Method	NABL ACCREDITED		
				Method	Acceptable limit	Permissible limit	
12	*Fluoride	mg/L	0.22	APHA 23 <sup>rd</sup> Edition,4500-F <sup>-</sup> D,Page:4-90	1.0	1.5	
13	*Copper	mg/L	0.018	APHA 23 <sup>rd</sup> Edition,3111 B,Page:3-20	0.05	1.5	
14	*Iron(as Fe)	mg/L	0.156	APHA 23 <sup>rd</sup> Edition,3500-Fe B,Page:3-80	0.3	No relaxation	
15	*Mercury	mg/L	BDL	APHA 23 <sup>rd</sup> Edition,3112 B,Page:3-25	0.001	No relaxation	
16	*Cadmium	mg/L	BDL	APHA 23 <sup>rd</sup> Edition,3111 B,Page:3-20	0.003	No relaxation	
17	*Lead( as Pb)	mg/L	<0.001	APHA 23 <sup>rd</sup> Edition,3111 B,Page:3-20	0.01	No relaxation	
18	*Zinc	mg/L	0.254	APHA 23 <sup>rd</sup> Edition,3111 B,Page:3-20	5	15	
19	*Arsenic	mg/L	BDL	APHA 23 <sup>rd</sup> Edition,3114B,Page:3-36	0.01	No relaxation	
20	*Chromium Total	mg/L	0.003	APHA 23 <sup>rd</sup> Edition,3111 B,Page:3-20	0.05	No	
21	*Manganese	mg/L	0.029	APHA 23 <sup>rd</sup> Edition,3111 B,Page:3-20	0.1	0.3	
22	*Selenium	mg/L	BDL	APHA 23 <sup>rd</sup> Edition,3114A,Page:3-36	0.01	No relaxation	
23	*Dissolved Oxygen	mg/L	7.8	APHA 23 <sup>rd</sup> Edition,4500-O C,Page:4-146			
24	BOD	mg/L	<2	APHA 23 <sup>rd</sup> Edition,5210 B, Page:5-6			
25	COD	mg/L	<5	APHA 23 <sup>rd</sup> Edition,5220 B,Page:5-18			

NOTE: (BOD) Biochemical Oxygen Demand, (COD) Chemical Oxygen Demand, (BDL) Below Detection Limit.

( Rimpi Sarma) **Environmental Chemist** Test Done By

For Envision Enviro Technologies North East LU G RETEN (Dr. Pranita Chakraborty ) Quality Manager Authorized Signatory

Note: i) The results relate only to the parameters tested.

ii) The test report shall not be reproduced except in full, without written approval of laboratory. iii) The test marked with an (\*) are not accredited by NABL.

iv) Parameter no.13 to 22 are analyzed by Department of Chemistry, B. Borooah College as per our MOU. \_End of report\_

Page 2 of 2

en-visi Enviro Technologies North East Technologies for better tomorrow

nnexure-B-1



#### TEST REPORT

### STACK ANALYSIS REPORT Report Code : SAR\_14010036\_02\_411

Sample ID No.: EETNE/FEB/18/22

Issue Date: 26/02/2022 ULR NO.: TC766922000000623F

Issued to : M/s. GNRC Institute of Medical Science (A Unit of GNRC Ltd.), Sila Grant, Mouza: Sila Senduri Ghopa, North Guwahati, Assam.

Sample Drawn By Sampling Plan & Procedure Analysis Duration Sampling Instrument Used Pollution Control Device, if any

: UTPAL BEZBARUAH : EETNE/SOP/01 : 21/02/2022 TO 24/02/2022 : STACK KIT/FLUE GAS ANALYZER : NO/YES

SL. 10.	DATE OF SAMPLING	STACK DESCRIPTION	PARAMETERS	REMARKS
	SAMPLING		Particulate Matter (g/kwhr)	-Data are within the
)	21/02/22	Stack attached to DG set 1 – 500KVA	0.164	permissible limit
)	, 52/22	Stack attached to DG set 2 - 500KVA	0.189	
-		IS 11255 Dert VV - 2000 -	0.189	

Method of analysis: IS 11255 Part-III : 2008 RA

Emission Standards for Diesel Engine for generator set :

Engine Power(P)	Parameter	Standards
75KW <p≤800kw< td=""><td>Particulate Matter</td><td>-</td></p≤800kw<>	Particulate Matter	-
	Faiticulate Matter	0.2 g/kwhr

Utpal Bezbaruah (Environmental Chemist)

For Envision Enviro Technologies North East, Guwahati

Dr. Pranita Chakraborty (Quality Manager) (Authorized Signatory)

Note: i) The results relate only to the parameters tested ii) The test report shall not be reproduced except in full, without written approval of laboratory.

-----END OF THE REPORT-----

House No. 6, 1st Floor, Sankardev Path, Pub-Sarania, Chandmari, Guwahati-781003, Assam,



mexure-C



### TEST REPORT

AMBIENT NOISE LEVEL MEASUREMENT REPORT Rep.No. ANLMR\_14010036\_06A\_412

Issue Date: 26/02/2022 ULR NO.: TC76692200000623F

<u>Name & Address:</u> M/s. GNRC Institute of Medical Science (A Unit of GNRC Ltd.) Sila Grant, Mouza: Sila Senduri Ghopa, North Guwahati, Assam.

SL. NO.	DATE OF SAMPLING	LOCATION /SOURCE	NOISE LEVEL in dB(A)Leq			
			Day Time (6:00 am to 10:00 pm)	Night Time(10:00 pm to 6:00 am)		
i)	1	Near Main Gate	48.7			
ii)	22/02/22	Near Project Site		36.2		
		etc.	46.2	33.0		
iii)		Near STP	43.9			
iv)	21/02/22	Towards North West		31.5		
,	7) 21/02/22 Towards North-West Direction		48.1	35.4		

Remarks: Noise level is carried out during 75% of the Day Time and night time. Method of analysis : IS 9989 : 1981 RA : 2014 Sampling Instrument Used : Lutron SL-4033SD, HTC SL 1350

#### Ambient Noise Standards:

Area Code	Category of area	Limits in dB(A) Leg			
couc		Day (6:00 am to 10:00 pm)	Night (10:00 pm to 6:00 am)		
A	Industrial Area	75	(10.00 pm to 6:00 am)		
в	Commercial Area	65	70		
С	Residential Area	55	55		
D	Silence Zone		45		
	Sherice Zone	50	40		

Utpal Bezbaruah (Environmental Chemist)

For Envision Enviro Technologies North East, Guwahati

Dr. Pranita Chakraborty (Quality Manager) (Authorized Signatory)

CHNOLO

Note: i) The results relate only to the parameters tested ii) The test report shall not be reproduced except in full, without written approval of laboratory.

-----END OF REPORT-----

House No. 6, 1st Floor, Sankardev Path, Pub-Sarania, Chandmari, Guwahati-781003, Assam,



Annexure - C-1



TEST REPORT         D.G SET NOISE LEVEL MEASUREMENT REPORT         Rep.No. DGNLMR_14010036_06A_410         Sample ID No.: EETNE/FEB/18/22         Name & Address:         M/a CND2 Institute (All in the integer)	
Rep.No. DGNLMR_14010036_06A_410         Issue Date: 26/02           Sample ID No.: EETNE/FEB/18/22         ULR NO.: TC7669220000           Name & Address:         Name & Address:	
Sample ID No.: EETNE/FEB/18/22 ULR NO.: TC7669220000 Name & Address:	
Name & Address:	000023F
	×
M/s. GNRC Institute of Medical Science (A Unit of GNRC Ltd.)	
Sila Grant, Mouza: Sila Senduri Ghopa, North Guwahati, Assam.	
North Guwanati, Assain.	
	ž
	und Pressure
	G in dB(A) Leq
i) 21/02/22 500 KVA - DG Set 57.2 72.6 72	72.42
ii) 22/02/22 500 KVA - DG Set 59 73.21 7	73.0
Remarks: Noise level is carried out during day time at a distance 1metre from the en	enclosure
surface. Method of analysis : IS 4758 : 1968 RA : 2017	
Sampling Instrument Used : Lutron SL-4033SD, HTC SL 1350	
DG Set Noise Standards: Noise limit viz. 75 dB(A) at 1m distance.	
CHNO	
For Envision Enviro Technologies North East, Guw	
	Vanati
UN (Charat -3) 3)	
Utpal Bezbaruah Dr. Pranita Chakraborty	
(Environmental Chemist) (Quality Manager)	
(Authorized Signatory)	
Note: i) The results relate only to the parameters tested.	
ii) The test report shall not be reproduced except in full, without written approval of laborato	ory.

-----END OF REPORT------

House No. 6, 1st Floor, Sankardev Path, Pub-Sarania, Chandmari, Guwahati-781003, Assam.

mnexure - D





#### TEST REPORT

### AMBIENT AIR ANALYSIS REPORT

Report Code : AAAR\_14010036\_01\_409 777 Issue Date: 26/02/2022 Sample ID No.: EETNE/FEB/18/22 ULR NO.: TC76692200000623F Issued to : M/s. GNRC Institute of Medical Science (A Unit of GNRC Ltd.), Sila Grant, Mouza: Sila Senduri Ghopa, North Guwahati, Assam.

Sample Drawn By : UTPAL BEZBARUAH Sampling Plan & Procedure : EETNE/SOP/01 Analysis Duration : 21/02/2022, 22/02/2022 TO 26/02/2022 Sampling Instrument Used : AIR SAMPLER/RDS Pollution Control Device, if any : NO/YES

SL. DATE OF NO. SAMPLING		LOCATION/ SOURCE	WEATHER	PARAMETERS			
	SALIT LING	SOURCE		ΡM <sub>10</sub> (μg/m <sup>3</sup> )	ΡM <sub>2.5</sub> (μg/m <sup>3</sup> )	NO <sub>2</sub> (μg/m <sup>3</sup> )	SO <sub>2</sub> (μg/m <sup>3</sup> )
i)	21/02/22	Near Main Gate		57.9	33.5	21.8	11.6
ii)	, 02, 22	Near Project Site etc.	Clear	55.2	31.1	20.2	10.5
iii)	22/02/22	Near STP		53.6	30.8	18.6	9.4
iv)	22/02/22	Towards North- West Direction		59.0	33.7	22.0	11.8

plings were done under the annual based.

## NATIONAL AMBIENT AIR QUALITY STANDARDS:

No.	Pollutant	Test Method		Concentration in Ambient Air
-	0.1.1		Time Weighted Average	Industrial, Residential, Rural
1	Sulphur Dioxide (SO <sub>2</sub> ), µg/m <sup>3</sup>	IS:5182 Part-II/ CPCB	Annual	and Other Area 50
2	Nitrogen Dioxide (NO2),		24 hours	80
	$\mu g/m^3$		Annual	40
3	Particulate Matter	CPCB	24 hours	80
	(PM <sub>10</sub> ), µg/m <sup>3</sup>	IS:5182 Part-XXIII/	Annual	60
4	Particulate Matter	СРСВ	24 hours	100
1	$(PM_{2.5}), \mu g/m^3$			40
	(**************************************		24 hours	60

Utpal Bezbaruah (Environmental Chemist)

For Envision Enviro Technologies North East, Guwahati

Dr. Pranita Chakraborty (Quality Manager) (Authorized Signatory)

Note: i) The results relate only to the parameters tested ii) The test report shall not be reproduced except in full, without written approval of laboratory.

-----END OF REPORT-----

House No. 6, 1st Floor, Sankardev Path, Pub-Sarania, Chandmari, Guwahati-781003, Assam.

Phone : +91 8811096201 e-mail : envisionghy@gmail.com

Enviro Technologies North East Recognized by Pollution Control Board, Assam

Technologies for better tomorrow

en-\

mexure - E



TEST REPORT: Report No: 220228\_14080088\_0 Sample ID No: EETNE/Feb/07\_A/22 Test Starting Date: 21/02/22

Date of Report 28/02/22 Date of sample receipt: 21/02/22 Test completion Date: 28/02/22

Name & Address of Client	M/s. GNRC Insti Sila Grant, Mouz	tute of Medical : a-Sila Senduri (	Science (A Unit o	f GNRC Ltd.)	
Sample Description	ETP Type: Waste wat	up (R), Assam. let			
Sample collected by	M/s. GNRC Hosp	ital			
Sample collection particulars	Date 21/02/2022	Time 10:50 A.M	Temperature 21°C	Quantity Drawn:2L	Sampling Method:EETNE /SOP/02

SN	Parameters	Unit	Result	Method Followed by	Permissible Limit (CPCB)
1	р <sup>н</sup>		7.85	IS 3025(Part 11)1983(Reaffirmed 1996)	6.5-9.0
2	Total Suspended Solids	mg/L	83.6	IS 3025(Part 18)1984(Reaffirmed 2012)	100
3	Oil & Grease	mg/L	<5	IS 3025(Part 39)1991(Reaffirmed 2003)	10
4	BOD	mg/L	25	APHA 23 <sup>rd</sup> Edition,5210B,Page:5-6	30
5	COD	mg/L	59	APHA-23 <sup>rd</sup> Edition,5220 b,Page:5-18	250

NOTE: (BOD) Biochemical Oxygen Demand, (COD) Chemical Oxygen Demand

# For Envision Envire Technologies North East

Rimpi Sarma **Environmental Chemist Test Done By** 

Dr. Pranita Chakraborty Quality Manager Authorized Signatory

Note: i) The results relate only to the parameters tested.

ii) The test report shall not be reproduced except in full, without written approval of laboratory

\_End of report

Page 1 of 1

House No. 6, 1st Floor, Sankardev Path, Pub-Sarania, Chandmari, Guwahati-781003, Assam.



# **GNRC INSTITUTE OF MEDICAL SCIENCE(A UNIT OF GNRC LTD)**

Silagrant Town, Mouza- Sila Senduri Ghopa North Guwahati, Kamrup (R), Assam

NO.GNRC/ENV/STAT/FORM-V/NG/01 Date : 31-05-2022

То

The Member Secretary, Pollution Control Board, Assam, Bamunimaidam, Guwahati – 781 021

Subject : Submission of Environmental Statement in respect of GNRC Institute of Medical Science (a unit of GNRC Ltd). for the financial year 2021 – 2022.

Dear Sir,

We are submitting herewith the Environmental Statement (Form V) in respect of GNRC Institute of Medical Science (a unit of GNRC Ltd), Sila Grant Town, North Guwahati as required for favour of your kind necessary action.

The receipt of the same may kindly be acknowledged.

Thanking you, Yours sincerely, For- GNRC Institute of Medical Science ( a unit of GNRC Ltd)

(S. Deka) Director (Project)

Copy for information to :

- 1. The Additional Principal Chief Conservator of Forests (c), Ministry of Environment, Forest and Climate Change, Government of India, North Eastern Regional Office, Law-U-Sib, Lumbatngen, Near MTC Workshop, Shillong-793 021, Meghalaya.
- The Zonal Office Central Pollution Control Board, Shillong Sh. Zawthanglien Changsan (Scientist 'E" and Incharge) (TUM-SIR), Lower Motinagar, Near Fire Brigade H.Q- Shillong-793014

## <u>ANNEXURE – F</u>

# ENVIRONMENTAL STATEMENT FORM – V

## **Environmental Statement for the financial year ending the 31<sup>st</sup> March 2022**

### PART: A

i)	Name and address of the owner / occupier of the industry, Operation or process.	:	M/s GNRC Institute of Medical Science Sila Grant Town, North Guwahati-781031, Assam
ii)	Industry category	:	Green Category (Medical Unit)
	Primary- (STC Code)		
	Secondary- (SIC Code)		
iii)	Production capacity units	:	N/A
iv)	Year of Establishment	:	2014
v)	Date of the last environmental audit report submitted.	:	31-07-2021

### PART : B

## Water and Raw Material Consumption

(1) Water Consumption m<sup>3</sup>/day.

Process : - Nil Boiler : - Nil

Domestic : - 660 m<sup>3</sup>/day

Name of Products	Process water consumption per unit of products.		
	During the previous	During the current	
	Financial year.	Financial year.	
	(1)	(2)	
Medical unit	NOT APPLICABLE	NOT APPLICABLE	

(ii) Raw Material consumption :				
Name of Raw Materials	Name of products	ts Consumption of raw material per unit of output. (MT/MT)		
		During the previous	During the current	
		Financial year.	Financial year.	
Medical Unit		NOT APPLICABLE	NOT APPLICABLE	

## PART : C

## Pollution Discharged to Environment/Unit of output

(Parameter as specified in the consent issued)

(i) Pollutants	Quantity of pollution generated	Percentage of variation from prescribed standards with reasons.
(a) Water	ALL PARAMETERS ARE W BY THE BOARD.	ELL WITHIN THE NORMS PRESCRIBED
(b) Air	ALL PARAMETERS ARE W BY THE BOARD.	ELL WITHIN THE NORMS PRESCRIBED
(c) Soil	ALL PARAMETERS ARE W BY THE BOARD.	ELL WITHIN THE NORMS PRESCRIBED

### PART : D Hazardous Wastes

(as specified under Hazardous Wastes (Management and Handling) Rules, 1989)

Hazardous Wastes	Total Quantity (kg.)	
	During the previous Financial year.	During the current
		Financial year.
(a) From Process		
)From Pollution	NOT APPLICABLE	
control facilities		

### PART : E Solid Wastes

		Total Quantity (kg.)	
	-	During the previous Financial year.	During the current
			Financial year.
(a) From Process		Nil	Nil
) From Pollution		Nil	Nil
control facilities			
;) Quantity recycled or	Mild Steel	22467 kg	kg
reutilised	Aluminum	1484 kg	kg
	Cement Bag	2600 nos	nos
	Tin sheet	2470 kg	kg
	Plastic	257 kg	kg
	Bamboo	50000 pcs	pcs

### PART : F

Please specify the characteristics (in terms of concentration and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Note: All the solid wastes are sold to authorized dealers or recyclers.

### PART : G

Impact of the pollution control measures on conservation of natural resources and consequently on the cost of production.

Cost of consultancy & recurring cost of annual monitoring include electricity :

Rs.1,00,000.00 (Includes consultancy of Electricity, environment, ecological & environment etc).

### PART: H

Additional investment proposal for environmental protection including abatement of pollution.

Not Applicable.

### PART : I Miscellaneous

Any other particulates in respect of environmental protection and abatement of pollution.

None.

Signature :

Name : Mr. Sarbeswar Deka

Designation : Director (Project) Date : 31-07-2021

Submitted to:

- 1. The Member Secretary Pollution Control Board, Assam Bamunimaidam, Guwahati-21
- 2. To, Additional Principal Chief Conservator of Forests(c) Ministry of Environment, Forest and Climate Change, North Easter Regional Office, Law-U-Sib, Lumbatngen, Near MTC Workshop, Shillong-793021, Meghalaya

From: M/s GNRC Institute of Medical Science (a unit of GNRC Ltd) Sila Grant Town, North Guwahati-781031, Assam.